

Network Working Group
Request for Comments: 2109
Category: Standards Track

D. Kristol
Bell Laboratories, Lucent Technologies
L. Montulli
Netscape Communications
February 1997

HTTP State Management Mechanism

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the “Internet Official Protocol Standards” (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright © The Internet Society (1997). All Rights Reserved.

1. ABSTRACT

This document specifies a way to create a stateful session with HTTP requests and responses. It describes two new headers, `Cookie` and `Set-Cookie`, which carry state information between participating origin servers and user agents. The method described here differs from Netscape's `Cookie` proposal, but it can interoperate with HTTP/1.0 user agents that use Netscape's method. (See the `HISTORICAL` section.)

2. TERMINOLOGY

The terms user agent, client, server, proxy, and origin server have the same meaning as in the HTTP/1.0 specification.

Fully-qualified host name (FQHN) means either the fully-qualified domain name (FQDN) of a host (i.e., a completely specified domain name ending in a top-level domain such as .com or .uk), or the numeric Internet Protocol (IP) address of a host. The fully qualified domain name is preferred; use of numeric IP addresses is strongly discouraged.

The terms request-host and request-URI refer to the values the client would send to the server as, respectively, the host (but not port) and abs_path portions of the absoluteURI (http_URL) of the HTTP request line. Note that request-host must be a FQHN.

Hosts names can be specified either as an IP address or a FQHN string. Sometimes we compare one host name with another. Host A's name domain-matches host B's if

- both host names are IP addresses and their host name strings match exactly; or
- both host names are FQDN strings and their host name strings match exactly; or
- A is a FQDN string and has the form NB, where N is a non-empty name string, B has the form .B', and B' is a FQDN string. (So, x.y.com domain-matches .y.com but not y.com.)

Note that domain-match is not a commutative operation: a.b.c.com domain-matches .c.com, but not the reverse.

Because it was used in Netscape's original implementation of state management, we will use the term cookie to refer to the state information that passes between an origin server and user agent, and that gets stored by the user agent.

3. STATE AND SESSIONS

This document describes a way to create stateful sessions with HTTP requests and responses. Currently, HTTP servers respond to each client request without relating that request to previous or subsequent requests; the technique allows clients and servers that wish to exchange state information to place HTTP requests and responses within a larger context, which we term a "session". This context might be used to create, for example, a "shopping cart", in which user selections can be aggregated before purchase, or a magazine browsing system, in which a user's previous reading affects which offerings are presented.

There are, of course, many different potential contexts and thus many different potential types of session. The designers' paradigm for sessions created by the exchange of cookies has these key attributes:

1. Each session has a beginning and an end.
2. Each session is relatively short-lived.
3. Either the user agent or the origin server may terminate a session.
4. The session is implicit in the exchange of state information.

4. OUTLINE

We outline here a way for an origin server to send state information to the user agent, and for the user agent to return the state information to the origin server. The goal is to have a minimal impact on HTTP and user agents. Only origin servers that need to maintain sessions would suffer any significant impact, and that impact can largely be confined to Common Gateway Interface (CGI) programs, unless the server provides more sophisticated state management support. (See Implementation Considerations, below.)

4.1. Syntax: General

The two state management headers, Set-Cookie and Cookie, have common syntactic properties involving attribute-value pairs. The following grammar uses the notation, and tokens DIGIT (decimal digits) and token (informally, a sequence of non-special, non-white space characters) from the HTTP/1.1 specification [RFC 2068] to describe their syntax.

```

av-pairs      =      av-pair *("; " av-pair)
av-pair       =      attr ["=" value]          ; optional value
attr          =      token
value         =      word
word          =      token | quoted-string

```

Attributes (names) (attr) are case-insensitive. White space is permitted between tokens. Note that while the above syntax description shows value as optional, most attrs require them.

NOTE: The syntax above allows whitespace between the attribute and the = sign.

4.2. Origin Server Role

4.2.1. General

The origin server initiates a session, if it so desires. (Note that "session" here does not refer to a persistent network connection but to a logical session created from HTTP requests and responses. The presence or absence of a persistent connection should have no effect on the use of cookie-derived sessions). To initiate a session, the origin server returns an extra response header to the client, Set-Cookie. (The details follow later.)

A user agent returns a Cookie request header (see below) to the origin server if it chooses to continue a session. The origin server may ignore it or use it to determine the current state of the session. It may send back to the client a Set-Cookie response header with the same or different information, or it may send no Set-Cookie header at all. The origin server effectively ends a session by sending the client a Set-Cookie header with Max-Age=0.

Servers may return a Set-Cookie response headers with any response. User agents should send Cookie request headers, subject to other rules detailed below, with every request.

An origin server may include multiple Set-Cookie headers in a response. Note that an intervening gateway could fold multiple such headers into a single header.

4.2.2. Set-Cookie Syntax

The syntax for the Set-Cookie response header is

```

set-cookie      =      "Set-Cookie:" cookies
cookies         =      1#cookie
cookie          =      NAME "=" VALUE *("; " cookie-av)
NAME            =      attr
VALUE           =      value
cookie-av       =      "Comment" "=" value
                  |      "Domain" "=" value
                  |      "Max-Age" "=" value
                  |      "Path"  "=" value
                  |      "Secure"
                  |      "Version" "=" 1*DIGIT

```

Informally, the Set-Cookie response header comprises the token Set-Cookie:, followed by a comma-separated list of one or more cookies. Each cookie begins with a NAME=VALUE pair, followed by zero or more semi-colon-separated attribute-value pairs. The syntax for attribute-value pairs was shown earlier. The specific attributes and the semantics of their values follows. The NAME=VALUE attribute-value pair must come first in each cookie. The others, if present, can occur in any order. If an attribute appears more than once in a cookie, the behavior is undefined.

NAME=VALUE

Required. The name of the state information ("cookie") is NAME, and its value is VALUE. NAMES that begin with \$ are reserved for other uses and must not be used by applications.

The VALUE is opaque to the user agent and may be anything the origin server chooses to send, possibly in a server-selected printable ASCII encoding. "Opaque" implies that the content is of interest and relevance only to the origin server. The content may, in fact, be readable by anyone that examines the Set-Cookie header.

Comment=comment

Optional. Because cookies can contain private information about a user, the Cookie attribute allows an origin server to document its intended use of a cookie. The user can inspect the information to decide whether to initiate or continue a session with this cookie.

Domain=domain

Optional. The Domain attribute specifies the domain for which the cookie is valid. An explicitly specified domain must always start with a dot.

Max-Age=delta-seconds

Optional. The Max-Age attribute defines the lifetime of the cookie, in seconds. The delta-seconds value is a decimal non-negative integer. After delta-seconds seconds elapse, the client should discard the cookie. A value of zero means the cookie should be discarded immediately.

Path=path

Optional. The Path attribute specifies the subset of URLs to which this cookie applies.

Secure

Optional. The Secure attribute (with no value) directs the user agent to use only (unspecified) secure means to contact the origin server whenever it sends back this cookie.

The user agent (possibly under the user's control) may determine what level of security it considers appropriate for "secure" cookies. The Secure attribute should be considered security advice from the server to the user agent, indicating that it is in the session's interest to protect the cookie contents.

Version=version

Required. The Version attribute, a decimal integer, identifies to which version of the state management specification the cookie conforms. For this specification, Version=1 applies.

4.2.3. Controlling Caching

An origin server must be cognizant of the effect of possible caching of both the returned resource and the Set-Cookie header. Caching "public" documents is desirable. For example, if the origin server wants to use a public document such as a "front door" page as a sentinel to indicate the beginning of a session for which a Set-Cookie response header must be generated, the page should be stored in caches "pre-expired" so that the origin server will see further requests. "Private documents", for example those that contain information strictly private to a session, should not be cached in shared caches.

If the cookie is intended for use by a single user, the Set-cookie header should not be cached. A Set-cookie header that is intended to be shared by multiple users may be cached.

The origin server should send the following additional HTTP/1.1 response headers, depending on circumstances:

- To suppress caching of the Set-Cookie header: Cache-control: no-cache="set-cookie".

and one of the following:

- To suppress caching of a private document in shared caches: Cache-control: private.
- To allow caching of a document and require that it be validated before returning it to the client: Cache-control: must-revalidate.
- To allow caching of a document, but to require that proxy caches (not user agent caches) validate it before returning it to the client: Cache-control: proxy-revalidate.
- To allow caching of a document and request that it be validated before returning it to the client (by "pre-expiring" it): Cache-control: max-age=0. Not all caches will revalidate the document in every case.

HTTP/1.1 servers must send Expires: old-date (where old-date is a date long in the past) on responses containing Set-Cookie response headers unless they know for certain (by out of band means) that there are no downstream HTTP/1.0 proxies. HTTP/1.1 servers may send other Cache-Control directives that permit caching by HTTP/1.1 proxies in addition to the Expires: old-date directive; the Cache-Control directive will override the Expires: old-date for HTTP/1.1 proxies.

4.3. User Agent Role

4.3.1. Interpreting Set-Cookie

The user agent keeps separate track of state information that arrives via Set-Cookie response headers from each origin server (as distinguished by name or IP address and port). The user agent applies these defaults for optional attributes that are missing:

| | |
|---------|---|
| Version | Defaults to "old cookie" behavior as originally specified by Netscape. See the HISTORICAL section. |
| Domain | Defaults to the request-host. (Note that there is no dot at the beginning of request-host.) |
| Max-Age | The default behavior is to discard the cookie when the user agent exits. |
| Path | Defaults to the path of the request URL that generated the Set-Cookie response, up to, but not including, the right-most /. |
| Secure | If absent, the user agent may send the cookie over an insecure channel. |

4.3.2. Rejecting Cookies

To prevent possible security or privacy violations, a user agent rejects a cookie (shall not store its information) if any of the following is true:

- The value for the Path attribute is not a prefix of the request-URI.
- The value for the Domain attribute contains no embedded dots or does not start with a dot.
- The value for the request-host does not domain-match the Domain attribute.

- The request-host is a FQDN (not IP address) and has the form HD, where D is the value of the Domain attribute, and H is a string that contains one or more dots.

Examples:

- A Set-Cookie from request-host y.x.foo.com for Domain=.foo.com would be rejected, because H is y.x and contains a dot.
- A Set-Cookie from request-host x.foo.com for Domain=.foo.com would be accepted.
- A Set-Cookie with Domain=.com or Domain=.com., will always be rejected, because there is no embedded dot.
- A Set-Cookie with Domain=ajax.com will be rejected because the value for Domain does not begin with a dot.

4.3.3. Cookie Management

If a user agent receives a Set-Cookie response header whose NAME is the same as a pre-existing cookie, and whose Domain and Path attribute values exactly (string) match those of a pre-existing cookie, the new cookie supersedes the old. However, if the Set-Cookie has a value for Max-Age of zero, the (old and new) cookie is discarded. Otherwise cookies accumulate until they expire (resources permitting), at which time they are discarded.

Because user agents have finite space in which to store cookies, they may also discard older cookies to make space for newer ones, using, for example, a least-recently-used algorithm, along with constraints on the maximum number of cookies that each origin server may set.

If a Set-Cookie response header includes a Comment attribute, the user agent should store that information in a human-readable form with the cookie and should display the comment text as part of a cookie inspection user interface.

User agents should allow the user to control cookie destruction. An infrequently-used cookie may function as a "preferences file" for network applications, and a user may wish to keep it even if it is the least-recently-used cookie. One possible implementation would be an interface that allows the permanent storage of a cookie through a checkbox (or, conversely, its immediate destruction).

Privacy considerations dictate that the user have considerable control over cookie management. The PRIVACY section contains more information.

4.3.4. Sending Cookies to the Origin Server

When it sends a request to an origin server, the user agent sends a Cookie request header to the origin server if it has cookies that are applicable to the request, based on

- the request-host;
- the request-URI;
- the cookie's age.

The syntax for the header is:

```

cookie           =      "Cookie:" cookie-version
                        1*(( ";" | ",") cookie-value)
cookie-value     =      NAME "=" VALUE [ ";" path ] [ ";" domain ]
cookie-version   =      "$Version" "=" value
NAME             =      attr
VALUE            =      value
path             =      "$Path" "=" value
domain           =      "$Domain" "=" value

```

The value of the cookie-version attribute must be the value from the Version attribute, if any, of the corresponding Set-Cookie response header. Otherwise the value for cookie-version is 0. The value for the

path attribute must be the value from the Path attribute, if any, of the corresponding Set-Cookie response header. Otherwise the attribute should be omitted from the Cookie request header. The value for the domain attribute must be the value from the Domain attribute, if any, of the corresponding Set-Cookie response header. Otherwise the attribute should be omitted from the Cookie request header.

Note that there is no Comment attribute in the Cookie request header corresponding to the one in the Set-Cookie response header. The user agent does not return the comment information to the origin server.

The following rules apply to choosing applicable cookie-values from among all the cookies the user agent has.

Domain Selection

The origin server's fully-qualified host name must domain-match the Domain attribute of the cookie.

Path Selection

The Path attribute of the cookie must match a prefix of the request-URI.

Max-Age Selection

Cookies that have expired should have been discarded and thus are not forwarded to an origin server.

If multiple cookies satisfy the criteria above, they are ordered in the Cookie header such that those with more specific Path attributes precede those with less specific. Ordering with respect to other attributes (e.g., Domain) is unspecified.

Note: For backward compatibility, the separator in the Cookie header is semi-colon (;) everywhere. A server should also accept comma (,) as the separator between cookie-values for future compatibility.

4.3.5. Sending Cookies in Unverifiable Transactions

Users must have control over sessions in order to ensure privacy. (See PRIVACY section below.) To simplify implementation and to prevent an additional layer of complexity where adequate safeguards exist, however, this document distinguishes between transactions that are verifiable and those that are unverifiable. A transaction is verifiable if the user has the option to review the request-URI prior to its use in the transaction. A transaction is unverifiable if the user does not have that option. Unverifiable transactions typically arise when a user agent automatically requests inlined or embedded entities or when it resolves redirection (3xx) responses from an origin server. Typically the origin transaction, the transaction that the user initiates, is verifiable, and that transaction may directly or indirectly induce the user agent to make unverifiable transactions.

When it makes an unverifiable transaction, a user agent must enable a session only if a cookie with a domain attribute D was sent or received in its origin transaction, such that the host name in the Request-URI of the unverifiable transaction domain-matches D.

This restriction prevents a malicious service author from using unverifiable transactions to induce a user agent to start or continue a session with a server in a different domain. The starting or continuation of such sessions could be contrary to the privacy expectations of the user, and could also be a security problem.

User agents may offer configurable options that allow the user agent, or any autonomous programs that the user agent executes, to ignore the above rule, so long as these override options default to "off".

Many current user agents already provide a review option that would render many links verifiable. For instance, some user agents display the URL that would be referenced for a particular link when the mouse pointer is placed over that link. The user can therefore determine whether to visit that site before causing the browser to do so. (Though not implemented on current user agents, a similar technique could be used for a button used to submit a form -- the user agent could display the action to be taken if the user were to select that button.) However, even this would not make all links verifiable; for example, links to automatically loaded images would not normally be subject to "mouse pointer" verification.

Many user agents also provide the option for a user to view the HTML source of a document, or to save the source to an external file where it can be viewed by another application. While such an option does provide a crude review mechanism, some users might not consider it acceptable for this purpose.

4.4. How an Origin Server Interprets the Cookie Header

A user agent returns much of the information in the Set-Cookie header to the origin server when the Path attribute matches that of a new request. When it receives a Cookie header, the origin server should treat cookies with NAMEs whose prefix is \$ specially, as an attribute for the adjacent cookie. The value for such a NAME is to be interpreted as applying to the lexically (left-to-right) most recent cookie whose name does not have the \$ prefix. If there is no previous cookie, the value applies to the cookie mechanism as a whole. For example, consider the cookie

```
Cookie: $Version="1"; Customer="WILE_E_COYOTE";  
       $Path="/acme"
```

\$Version applies to the cookie mechanism as a whole (and gives the version number for the cookie mechanism). \$Path is an attribute whose value (/acme) defines the Path attribute that was used when the Customer cookie was defined in a Set-Cookie response header.

4.5. Caching Proxy Role

One reason for separating state information from both a URL and document content is to facilitate the scaling that caching permits. To support cookies, a caching proxy must obey these rules already in the HTTP specification:

- Honor requests from the cache, if possible, based on cache validity rules.
- Pass along a Cookie request header in any request that the proxy must make of another server.
- Return the response to the client. Include any Set-Cookie response header.
- Cache the received response subject to the control of the usual headers, such as Expires, Cache-control: no-cache, and Cache-control: private,
- Cache the Set-Cookie subject to the control of the usual header, Cache-control: no-cache="set-cookie". (The Set-Cookie header should usually not be cached.)

Proxies must not introduce Set-Cookie (Cookie) headers of their own in proxy responses (requests).

5. EXAMPLES

5.1. Example 1

Most detail of request and response headers has been omitted. Assume the user agent has no stored cookies.

1. User Agent -> Server

```
POST /acme/login HTTP/1.1
[form data]
```

User identifies self via a form.

2. Server -> User Agent

```
HTTP/1.1 200 OK
Set-Cookie: Customer="WILE_E_COYOTE"; Version="1"; Path="/acme"
```

Cookie reflects user's identity.

3. User Agent -> Server

```
POST /acme/pickitem HTTP/1.1
Cookie: $Version="1"; Customer="WILE_E_COYOTE"; $Path="/acme"
[form data]
```

User selects an item for "shopping basket."

4. Server -> User Agent

```
HTTP/1.1 200 OK
Set-Cookie: Part_Number="Rocket_Launcher_0001"; Version="1";
           Path="/acme"
```

Shopping basket contains an item.

5. User Agent -> Server

```
POST /acme/shipping HTTP/1.1
Cookie: $Version="1";
       Customer="WILE_E_COYOTE"; $Path="/acme";
       Part_Number="Rocket_Launcher_0001"; $Path="/acme"
[form data]
```

User selects shipping method from form.

6. Server -> User Agent

```
HTTP/1.1 200 OK
Set-Cookie: Shipping="FedEx"; Version="1"; Path="/acme"
```

New cookie reflects shipping method.

7. User Agent -> Server

```
POST /acme/process HTTP/1.1
Cookie: $Version="1";
       Customer="WILE_E_COYOTE"; $Path="/acme";
       Part_Number="Rocket_Launcher_0001"; $Path="/acme";
       Shipping="FedEx"; $Path="/acme"
[form data]
```

User chooses to process order.

8. Server -> User Agent

```
HTTP/1.1 200 OK
```

Transaction is complete.

The user agent makes a series of requests on the origin server, after each of which it receives a new cookie. All the cookies have the same Path attribute and (default) domain. Because the request URLs all have /acme as a prefix, and that matches the Path attribute, each request contains all the cookies received so far.

5.2. Example 2

This example illustrates the effect of the Path attribute. All detail of request and response headers has been omitted. Assume the user agent has no stored cookies.

Imagine the user agent has received, in response to earlier requests, the response headers

```
Set-Cookie: Part_Number="Rocket_Launcher_0001"; Version="1";
           Path="/acme"
```

and

```
Set-Cookie: Part_Number="Riding_Rocket_0023"; Version="1";
           Path="/acme/ammo"
```

A subsequent request by the user agent to the (same) server for URLs of the form /acme/ammo/... would include the following request header:

```
Cookie: $Version="1";
       Part_Number="Riding_Rocket_0023"; $Path="/acme/ammo";
       Part_Number="Rocket_Launcher_0001"; $Path="/acme"
```

Note that the NAME=VALUE pair for the cookie with the more specific Path attribute, /acme/ammo, comes before the one with the less specific Path attribute, /acme. Further note that the same cookie name appears more than once.

A subsequent request by the user agent to the (same) server for a URL of the form /acme/parts/ would include the following request header:

```
Cookie: $Version="1"; Part_Number="Rocket_Launcher_0001"; $Path="/acme"
```

Here, the second cookie's Path attribute /acme/ammo is not a prefix of the request URL, /acme/parts/, so the cookie does not get forwarded to the server.

6. IMPLEMENTATION CONSIDERATIONS

Here we speculate on likely or desirable details for an origin server that implements state management.

6.1. Set-Cookie Content

An origin server's content should probably be divided into disjoint application areas, some of which require the use of state information. The application areas can be distinguished by their request URLs. The Set-Cookie header can incorporate information about the application areas by setting the Path attribute for each one.

The session information can obviously be clear or encoded text that describes state. However, if it grows too large, it can become unwieldy. Therefore, an implementor might choose for the session information to be a key to a server-side resource. Of course, using a database creates some problems that this state management specification was meant to avoid, namely:

1. keeping real state on the server side;
2. how and when to garbage-collect the database entry, in case the user agent terminates the session by, for example, exiting.

6.2. Stateless Pages

Caching benefits the scalability of WWW. Therefore it is important to reduce the number of documents that have state embedded in them inherently. For example, if a shopping-basket-style application always displays a user's current basket contents on each page, those pages cannot be cached, because each user's basket's contents would be different. On the other hand, if each page contains just a link that allows the user to "Look at My Shopping Basket", the page can be cached.

6.3. Implementation Limits

Practical user agent implementations have limits on the number and size of cookies that they can store. In general, user agents' cookie support should have no fixed limits. They should strive to store as many frequently-used cookies as possible. Furthermore, general-use user agents should provide each of the following minimum capabilities individually, although not necessarily simultaneously:

- at least 300 cookies
- at least 4096 bytes per cookie (as measured by the size of the characters that comprise the cookie non-terminal in the syntax description of the Set-Cookie header)
- at least 20 cookies per unique host or domain name

User agents created for specific purposes or for limited-capacity devices should provide at least 20 cookies of 4096 bytes, to ensure that the user can interact with a session-based origin server.

The information in a Set-Cookie response header must be retained in its entirety. If for some reason there is inadequate space to store the cookie, it must be discarded, not truncated.

Applications should use as few and as small cookies as possible, and they should cope gracefully with the loss of a cookie.

6.3.1. Denial of Service Attacks

User agents may choose to set an upper bound on the number of cookies to be stored from a given host or domain name or on the size of the cookie information. Otherwise a malicious server could attempt to flood a user agent with many cookies, or large cookies, on successive responses, which would force out cookies the user agent had received from other servers. However, the minima specified above should still be supported.

7. PRIVACY

7.1. User Agent Control

An origin server could create a Set-Cookie header to track the path of a user through the server. Users may object to this behavior as an intrusive accumulation of information, even if their identity is not evident. (Identity might become evident if a user subsequently fills out a form that contains identifying information.) This state management specification therefore requires that a user agent give the user control over such a possible intrusion, although the interface through which the user is given this control is left unspecified. However, the control mechanisms provided shall at least allow the user

- to completely disable the sending and saving of cookies.
- to determine whether a stateful session is in progress.
- to control the saving of a cookie on the basis of the cookie's Domain attribute.

Such control could be provided by, for example, mechanisms

- to notify the user when the user agent is about to send a cookie to the origin server, offering the option not to begin a session.
- to display a visual indication that a stateful session is in progress.
- to let the user decide which cookies, if any, should be saved when the user concludes a window or user agent session.
- to let the user examine the contents of a cookie at any time.

A user agent usually begins execution with no remembered state information. It should be possible to configure a user agent never to send Cookie headers, in which case it can never sustain state with an origin server. (The user agent would then behave like one that is unaware of how to handle Set-Cookie response headers.)

When the user agent terminates execution, it should let the user discard all state information. Alternatively, the user agent may ask the user whether state information should be retained; the default should be "no". If the user chooses to retain state information, it would be restored the next time the user agent runs.

NOTE: User agents should probably be cautious about using files to store cookies long-term. If a user runs more than one instance of the user agent, the cookies could be commingled or otherwise messed up.

7.2. Protocol Design

The restrictions on the value of the Domain attribute, and the rules concerning unverifiable transactions, are meant to reduce the ways that cookies can "leak" to the "wrong" site. The intent is to restrict cookies to one, or a closely related set of hosts. Therefore a request-host is limited as to what values it can set for Domain. We consider it acceptable for hosts host1.foo.com and host2.foo.com to share cookies, but not a.com and b.com.

Similarly, a server can only set a Path for cookies that are related to the request-URI.

8. SECURITY CONSIDERATIONS

8.1. Clear Text

The information in the Set-Cookie and Cookie headers is unprotected. Two consequences are:

1. Any sensitive information that is conveyed in them is exposed to intruders.
2. A malicious intermediary could alter the headers as they travel in either direction, with unpredictable results.

These facts imply that information of a personal and/or financial nature should only be sent over a secure channel. For less sensitive information, or when the content of the header is a database key, an origin server should be vigilant to prevent a bad Cookie value from causing failures.

8.2. Cookie Spoofing

Proper application design can avoid spoofing attacks from related domains. Consider:

1. User agent makes request to victim.cracker.edu, gets back cookie session_id="1234" and sets the default domain victim.cracker.edu.
2. User agent makes request to spoof.cracker.edu, gets back cookie session-id="1111", with Domain=".cracker.edu".
3. User agent makes request to victim.cracker.edu again, and passes

```
Cookie: $Version="1";  
        session_id="1234";  
        session_id="1111"; $Domain=".cracker.edu"
```

The server at victim.cracker.edu should detect that the second cookie was not one it originated by noticing that the Domain attribute is not for itself and ignore it.

8.3. Unexpected Cookie Sharing

A user agent should make every attempt to prevent the sharing of session information between hosts that are in different domains. Embedded or inlined objects may cause particularly severe privacy problems if they can be used to share cookies between disparate hosts. For example, a malicious server could embed cookie information for host a.com in a URI for a CGI on host b.com. User agent implementors are strongly encouraged to prevent this sort of exchange whenever possible.

9. OTHER, SIMILAR, PROPOSALS

Three other proposals have been made to accomplish similar goals. This specification is an amalgam of Kristol's State-Info proposal and Netscape's Cookie proposal.

Brian Behlendorf proposed a Session-ID header that would be user- agent-initiated and could be used by an origin server to track "clicktrails". It would not carry any origin-server-defined state, however. Phillip Hallam-Baker has proposed another client-defined session ID mechanism for similar purposes.

While both session IDs and cookies can provide a way to sustain stateful sessions, their intended purpose is different, and, consequently, the privacy requirements for them are different. A user initiates session IDs to allow servers to track progress through them, or to distinguish multiple users on a shared machine. Cookies are server-initiated, so the cookie mechanism described here gives users control over something that would otherwise take place without the users' awareness. Furthermore, cookies convey rich, server- selected information, whereas session IDs comprise user-selected, simple information.

10. HISTORICAL

10.1. Compatibility With Netscape's Implementation

HTTP/1.0 clients and servers may use Set-Cookie and Cookie headers that reflect Netscape's original cookie proposal. These notes cover inter-operation between "old" and "new" cookies.

10.1.1. Extended Cookie Header

This proposal adds attribute-value pairs to the Cookie request header in a compatible way. An "old" client that receives a "new" cookie will ignore attributes it does not understand; it returns what it does understand to the origin server. A "new" client always sends cookies in the new form.

An "old" server that receives a "new" cookie will see what it thinks are many cookies with names that begin with a \$, and it will ignore them. (The "old" server expects these cookies to be separated by semi-colon, not comma.) A "new" server can detect cookies that have passed through an "old" client, because they lack a \$Version attribute.

10.1.2. Expires and Max-Age

Netscape's original proposal defined an Expires header that took a date value in a fixed-length variant format in place of Max-Age:

`Wdy, DD-Mon-YY HH:MM:SS GMT`

Note that the Expires date format contains embedded spaces, and that "old" cookies did not have quotes around values. Clients that implement to this specification should be aware of "old" cookies and Expires.

10.1.3. Punctuation

In Netscape's original proposal, the values in attribute-value pairs did not accept "-quoted strings. Origin servers should be cautious about sending values that require quotes unless they know the receiving user agent understands them (i.e., "new" cookies). A ("new") user agent should only use quotes around values in Cookie headers when the cookie's version(s) is (are) all compliant with this specification or later.

In Netscape's original proposal, no whitespace was permitted around the = that separates attribute-value pairs. Therefore such whitespace should be used with caution in new implementations.

10.2. Caching and HTTP/1.0

Some caches, such as those conforming to HTTP/1.0, will inevitably cache the Set-Cookie header, because there was no mechanism to suppress caching of headers prior to HTTP/1.1. This caching can lead to security problems. Documents transmitted by an origin server along with Set-Cookie headers will usually either be uncacheable, or will be "pre-expired". As long as caches obey instructions not to cache documents (following Expires: <a date in the past> or Pragma: no-cache (HTTP/1.0), or Cache-control: no-cache (HTTP/1.1)) uncacheable documents present no problem. However, pre-expired documents may be stored in caches. They require validation (a conditional GET) on each new request, but some cache operators loosen the rules for their caches, and sometimes serve expired documents without first validating them. This combination of factors can lead to cookies meant for one user later being sent to another user. The Set-Cookie header is stored in the cache, and, although the document is stale (expired), the cache returns the document in response to later requests, including cached headers.

11. ACKNOWLEDGEMENTS

This document really represents the collective efforts of the following people, in addition to the authors: Roy Fielding, Marc Hedlund, Ted Hardie, Koen Holtman, Shel Kaphan, Rohit Khare.

Authors' Addresses

David M. Kristol

Bell Laboratories, Lucent Technologies
600 Mountain Ave. Room 2A-227
Murray Hill
NJ 07974
Phone: [\(908\) 582-2250](tel:(908)582-2250)
Fax: [\(908\) 582-5809](tel:(908)582-5809)
EMail: dmk@bell-labs.com

Lou Montulli

Netscape Communications Corp.
501 E. Middlefield Rd.
Mountain View
CA 94043
Phone: [\(415\) 528-2600](tel:(415)528-2600)
EMail: montulli@netscape.com

Full Copyright Statement

Copyright © The Internet Society (1997). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Intellectual Property

The IETF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to rights in standards-track and standards-related documentation can be found in BCP-11. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification can be obtained from the IETF Secretariat.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this standard. Please address the information to the IETF Executive Director.